

Address	Street	Species	Recommendation	Replacement possible yes/no, reasons	Sidewalk repair required, yes/no	Pave over, yes/no	Reduce basin size to 4x4	Replacement Species (maple or ginkgo)	Notes
Potrero-Hampshire									
2700	24th St.	Ficus	Remove	Yes replace - end of bus zone	Yes	-	-	Ginkgo biloba	
2700	24th St.	Ficus	Remove	No replacement, bus zone & street light	No	Yes	-	-	
2700	24th St.		Empty basin	-	Yes	-	Yes	Acer rubrum	
2700	24th St.	Ficus	Remove	Yes	No	-	Yes	Acer rubrum	Tree is in severe decline
2718-2722	24th St.	Ficus	Experimental Pruning	-	No	-	No	-	
2726-2734	24th St.	Ficus	Experimental Pruning	-	No	-	Yes	-	
2726-2734	24th St.	Ficus	Experimental Pruning	-	Yes	-	Yes	-	
2726-2736	24th St.	Ficus	Remove	No replacement, stop sign	No	Yes	-	-	

Hampshire-Potrero									
2701-2749	24th St.		New planting site	-	-	-	-	Ginkgo biloba	Add one new site 12' from SL (Princeton Sentry?)
2701-2749	24th St.	Ficus	Remove	Yes	Yes	-	Yes	Acer rubrum	
2701-2749	24th St.	Ficus	Experimental Pruning	-	Yes, curb repair, small chunk	-	Yes	-	
2701-2749	24th St.	Ficus	Experimental Pruning	-	Yes	-	Increase basin size to 4x4	-	
2701-2749	24th St.	Maple	Planted 3/14/19	-	-	-	-	-	-
2701-2749	24th St.	Maple	Planted 3/14/19	-	-	-	-	-	-
2701-2749	24th St.	Ficus	Remove	Yes, at sdwlk btwn T6 & 7	Yes	Yes	Cut new replacement basin	Ginkgo biloba	At back of sidewalk, base of building foundation
2701-2749	24th St.	Ficus	Remove	No, too close to intersection	No	Yes	-	-	At back of sidewalk, base of building foundation

Hampshire-York									
2752	24th St.	Ficus	Remove	No, street light	Yes	Yes	No	-	
2754	24th St.	Ficus	Experimental Pruning	-	No	-	Yes	-	
2760	24th St.		New planting site	-	-	-	-	Acer rubrum	
2778	24th St.	Ficus	Experimental Pruning	-	Yes	-	Yes	-	
2782-2786	24th St.	Ficus	Remove	Yes, but next door IFO 2778	No	Yes	-	Acer rubrum next door IFO 2778	Replacement, cut
2790	24th St.	Ficus	Experimental Pruning	-	No	-	Yes	-	
2792-2794	24th St.	Ficus	Remove	Yes	Yes	-	Yes	Ginkgo biloba	
2792-2794	24th St.	Ficus	Remove	No, stop sign & intersection	Yes, including ramp at corner	Yes	-	-	

Address	Street	Species	Recommendation	Replacement possible yes/no, reasons	Sidewalk repair required, yes/no	Pave over, yes/no	Reduce basin size to 4x4	Replacement Species (maple or ginkgo)	Notes
York-Hampshire									
2799	24th St.		New planting site	-	-	-	-	Ginkgo biloba	
2773-2781	24th St.	Ficus	Remove	Yes	No	-	No	Acer rubrum	Brava Theatre - shift 3'E for sewer
2773-2781	24th St.	Ficus	Experimental Pruning	-	Yes	-	No	-	-
2773-2781	24th St.	Ficus	Experimental Pruning	-	No	-	No	-	-
2751	24th St.	Ficus	Remove	Yes	Yes	Yes	No	Ginkgo biloba	

York-Bryant									
2800	24th St.	Ficus	Remove	maybe - see if we can shift to bike rack location	Yes, including curb ramp	-	No	Ginkgo biloba	Pops Bar - if we can switch tree with bike racks, 15' from streetlight
2804	24th St.	Ficus	Remove	Yes	Yes, a lot of damage	-	Yes, check for sewer location	Acer rubrum	If able to shift site 1, this become Acer instead of Ginkgo
2624-2826	24th St.	Ficus	Remove	Yes, shift 4' to the East to get 15' from streetlight	Yes	-	No	Acer rubrum	
2830	24th St.	Loph.	Retain	-	No	-	No	-	
2836-2838	24th St.	Ficus	Remove	Yes	Yes, shift slightly E	-	No	Ginkgo biloba	
2836-2838	24th St.	Ficus	Remove	Maybe replace 18' on center from tree 1 still gets us clearance from intersection	Yes	-	No	Ginkgo biloba	

Bryant-York									
2809	24th St.	Ficus	Experimental Pruning	-	No	-	Shift basin		
2813	24th St.	Maple	Retain	-	-	-	-		
2833	24th St.	Ficus	Experimental Pruning	-	Yes	-	No	-	
2839-2847	24th St.	Ficus	Experimental Pruning	-	No	-	No		
2839-2847	24th St.	Ficus	Remove	Yes	No	-	Yes	Ginkgo biloba	

Bryant-Florida									
2850	24th St.	Ficus	Remove	No, bus zone and street light	No	Yes	-	-	
2850	24th St.	Ficus	Remove	No, bus zone	No	Yes	-	-	
2858-2860	24th St.	Ficus	Remove	Yes	Yes, a lot of damage	No	No	Ginkgo biloba	
2862	24th St.		Empty basin	Yes	No	-	No	Acer rubrum	
2870	24th St.	Ficus	Remove	Yes, move basin 3 flags East	Yes, a lot of damage	No	Shift basin	Acer rubrum	
2872-2876	24th St.	Ficus	Remove	Yes, move basin 4 flags West	Need to confirm	No	Shift basin	Ginkgo biloba	
2878-2880	24th St.	Ficus	Remove	No, shifting 2872- 2876	Yes	No	-	-	

Address	Street	Species	Recommendation	Replacement possible yes/no, reasons	Sidewalk repair required, yes/no	Pave over, yes/no	Reduce basin size to 4x4	Replacement Species (maple or ginkgo)	Notes
Florida-Bryant									
2851-2857	24th St.	Mayten	Retain tree	-	No	-	No	-	
2851-2857	24th St.	Ficus	Experimental Pruning	-	No	-	No	-	
2863-2869	24th St.	Ficus	Remove	Yes, but IFO 2871 to avoid streetlight	No	No	See replacement tree notes	Acer rubrum	Plant replacement tree between bike racks at 2871 24th St. Eliminate 1 bike rack; contact owner? Need to mark the site/USA
2889	24th St.		Empty basin	Yes	No	-	Make basin larger to 4x4'	Acer rubrum	
2889	24th St.		Empty basin	Yes	No	-	Yes	Acer rubrum	Failed in Feb 2019
2893-2899	24th St.		Empty basin	Yes, shift to get clearance from streetlight	Yes	-	Yes	Acer rubrum	Plant 18' apart
2893-2899	24th St.	Ficus	Remove	Yes	No	-	No	Ginkgo biloba	Plant replacements 18' apart

Florida-Alabama									
2900	24th St.	Ficus	Remove	Yes shift 5' to get 15' from streetlight	Yes	-	Yes	Ginkgo biloba	Shift 5' to get 15' from SL - Princeton Sentry?
2904	24th St.	Ficus	Remove	Yes	Yes	-	No	Acer rubrum	
2912-2916	24th St.	Ficus	Remove	Yes	Yes, a lot of damage	-	No	Acer rubrum	
2934-2940	24th St.	Ficus	Retain tree	-	Yes	-	No	-	
2934-2940	24th St.		Paved basin, check if site is replantable	There was a tree here before	-	-	-	Acer rubrum	At 2940 entrance; SS clearance ok
2944-2946	24th St.	Ginkgo	Retain, replanted recently	-	No	-	No	-	Very young ginkgo

Alabama-Florida									
2901	24th St.	Acer	Retain	-	No	-	No	-	
2901	24th St.	Ginkgo	Retain	-	No	-	No	-	Stake/cage the tree to protect it
2913	24th St.	Loph	Retain	-	Yes, but minor repair	-	No	-	
2917-2919	24th St.	Loph	Remove Lophostemon	Yes, post notice, dead tree	No	-	No	Acer rubrum	Dead Brisbane Box
2929	24th St.	Loph	Retain	-	No	-	No	-	
2933	24th St.		New planting site	-	-	-	Cut new basin	Acer rubrum	Add 1 basin at 2933
2937	24th St.	Ginkgo	Retain	-	Yes	-	Cut 1/2 flag for better basin/growth	-	

Alabama-Harrison									
2956	24th St.		Empty basin	Yes, reduce basin, replant	No	-	Yes	Ginkgo biloba	
2958	24th St.	Acer	Retain	-	No	-	No	-	
2962	24th St.		New planting site	-	-	-	-	Acer rubrum	Discolandia

Address	Street	Species	Recommendation	Replacement possible yes/no, reasons	Sidewalk repair required, yes/no	Pave over, yes/no	Reduce basin size to 4x4	Replacement Species (maple or ginkgo)	Notes
2966-2970	24th St.	Ficus	Remove	No, 7' away from street light. Replanting at Discolandia/2962	No	Yes	-	-	
2966-2970	24th St.	Ficus	Remove	Yes	Yes	-	No	Acer rubrum	Add stakes and cage to protect it.
2976	24th St.	Ginkgo	Retain	-	-	-	-	-	

Harrison-Alabama

2953	24th St.	Ginkgo	Retain	-	No	-	No	-	
2963	24th St.		Cut new planting site	Check for utilities first	-	-	-	Acer rubrum	
2977	24th St.		Cut new planting site	Check for utilities first	-	-	-	Acer rubrum	
2977	24th St.		Cut new planting site	Check for utilities first	-	-	-	Acer rubrum	May be able to add 2 sites 18' on center, 24' from Stop Sign

Harrison-Treat

3000-3008	24th St.	Ficus	Remove	Yes	Yes, shift all 3 1-2 flags for better ped light clearance	-	Yes	Ginkgo biloba	
3024	24th St.	Ficus	Remove	Yes	Yes, shift all 3 1-2 flags for better ped light clearance	-	Yes	Acer rubrum	
3024	24th St.	Ficus	Remove	Yes	Yes, shift all 3 1-2 flags for better ped light clearance	-	Yes	Acer rubrum	
3032-3034	24th St.	Ficus	Remove	Yes	No	No	Yes	Acer rubrum	
3040	24th St.	Acer	Retain	-	No	-	Yes	-	
3044	24th St.	Ficus	Experimental Pruning	-	No	-	No	-	

Treat-Harrison

3013	24th St.	Palm	Retain	-	-	-	-	-	
3013	24th St.	Ficus	Remove	Yes, shift basin 12' from SL, 16' from Acer	Shift basin	-	Shift basin	Ginkgo biloba	Princeton sentry should be ok 16' from maple
3013	24th St.	Acer rubrum	Retain	-	-	-	-	-	
3013	24th St.	Loph	Retain	-	-	-	-	-	
3035-3039	24th St.	Acer rubrum	Retain	-	-	-	-	-	
3035-3039	24th St.	Ficus	Experimental Pruning	-	No	-	No	-	
3041-3047	24th St.	Loph	Retain	-	No	-	No	-	
3041-3047	24th St.	Ficus	Remove	Yes	No	-	No	Acer rubrum	

Address	Street	Species	Recommendation	Replacement possible yes/no, reasons	Sidewalk repair required, yes/no	Pave over, yes/no	Reduce basin size to 4x4	Replacement Species (maple or ginkgo)	Notes
Folsom-Treat									
3049-3055	24th St.	Ficus	Remove	No, stop sign	Yes	Yes	-	-	
3055	24th St.	Ficus	Retain tree	-	-	-	-	-	
3069-3075	24th St.	Ficus	Retain tree	-	-	-	-	-	
3069-3075	24th St.	Ficus	Remove	No, street light	No	Yes	-	-	
3069-3075	24th St.		Empty basin	Shift to IFO 3065	Yes	Yes	Shift/cut new	Acer rubrum	
3085	24th St.		New planting site	-	-	-	-	-	Maybe add one at corner (end of bus zone?)
3085	24th St.	Ficus	Retain tree	-	No	-	No	-	
3085	24th St.	Ficus	Retain tree	-	No	-	No	-	
3085	24th St.	Ficus	Retain tree	-	No	-	No	-	

Treat-Folsom									
3050-3058	24th St.		Empty basin	No, street light	No	Pave over	-	-	
3050-3058	24th St.	Ficus	Experimental Pruning	-	-	-	-	-	
3050-3058	24th St.	Ficus	Remove	Yes, 9' from ped level S.L - shift 2-3' E to get better clearance	Yes	-	Yes and shift 2-3' E to get better clearance	Acer rubrum	
3062-3068	24th St.	Ficus	Remove	Yes	Yes	-	Yes	Acer rubrum	
3070-3076	24th St.	Ficus	Experimental Pruning	-	No	-	Yes	-	
3078-3080	24th St.	Ficus	Remove	Maybe. See if we can switch bike rack location	No	Yes	-	-	
3088-3090	24th St.	Ficus	Remove	Yes, ped level SL	Yes shift W 3'	-	No	Ginkgo biloba	
3092-3098	24th St.	Ficus	Experimental Pruning	-	Yes	-	-	-	

Shotwell-Folsom									
3112	24th St.	Ficus	Retain	-	Yes, minor damage	-	No	-	
3114	24th St.	Ficus	Retain	-	Yes	-	No	-	
3114	24th St.	Ficus	Retain	-	Yes	-	No	-	
3130-3132	24th St.	Palm	Retain	-	No	-	No	-	
3134	24th St.		Empty basin	Yes	No	-	No	Acer rubrum	
3144	24th St.		Paved basin, mark it	Mark it/call USA	No	-	No	Ginkgo biloba	
3144	24th St.	Palm	Retain	-	No	-	No	-	

Shotwell-Folsom									
3149	24th St.	Ficus	Retain	-	No	-	No	-	
3149	24th St.	Ficus	Retain	-	No	-	No	-	
3149	24th St.	Ficus	Retain	-	No	-	No	-	
3135	24th St.	Maple	Retain	-	No	-	No	-	
3135	24th St.	Maple	Retain	-	No	-	No	-	
3135	24th St.	Maple	Retain	-	No	-	No	-	

Address	Street	Species	Recommendation	Replacement possible yes/no, reasons	Sidewalk repair required, yes/no	Pave over, yes/no	Reduce basin size to 4x4	Replacement Species (maple or ginkgo)	Notes
3105-3197	24th St.		Possible planting site	Mark/call into USA; at start of property, Yellow Zone Ok?	No	-	-	Ginkgo biloba - if plantable	Possibly 2 if one bike rack shifts - check with Philz coffee
3105-3197	24th St.		Possible planting site	Mark/call into USA; at start of property, Yellow Zone Ok?	No	-	-	Ginkgo biloba - if plantable	Possibly 2 if one bike rack shifts - check with Philz coffee

S V Ness-Shotwell

3151-3157	24th St.	Ficus	Retain	-	No	-	No	-	One branch on East side has 3 competing branches, retain for now
3151-3157	24th St.	Palm	Retain	-	No	-	No	-	
3161-3163	24th St.		New planting site	-	-	-	-	-	
3165-3167	24th St.		New planting site	-	-	-	-	-	
3177	24th St.	Ficus	Retain	-	Yes	-	No	-	Smaller tree, okay for now, poor structure long term
3175-3181	24th St.	Ficus	Remove	Yes	Yes	-	Yes	Ginkgo biloba	At parking lot. Sidewalk damage

Shotwell-Mission

3150	24th St.		Empty basin	Maybe shift to bike rack location?	No	-	Shift basin	Ginkgo biloba	Possibly shift to bike rack if yes, becomes Ginkgo, and 3156 becomes Acer
3156-3158	24th St.	Ficus	Remove	Yes	If 3150 shifts, this needs to shift 2'W to get 18' between	-	Yes	Ginkgo biloba	Lacks clearance, previous stem failure
3160	24th St.	Ficus	Remove	Yes	No	-	Yes	Acer rubrum	
3166-3168	24th St.	Ficus	Experimental Pruning	-	Yes	-	Yes, huge, reduce to 4x4	-	-
3166-3168	24th St.	Ficus	Experimental Pruning	-	Yes	-	Yes	-	-
3172-3176	24th St.	Ficus	Experimental Pruning	-	No	-	No	-	-
3182-3194	24th St.	Ficus	Experimental Pruning	-	No	-	No	-	Injury at main union
3182-3194	24th St.	Ficus	Experimental Pruning	-	Yes	-	No	-	-
3182-3194	24th St.		Empty basin	No, street light & intersection	No	Yes	-	-	

S V Ness-Capp

3200-3216	24th St.	Ficus	Remove	Yes	No	-	Yes	Ginkgo biloba	
3200-3216 (3214)	24th St.	Ficus	Retain	-	No	-	No	-	
3224-3226	24th St.	Ficus	Retain	-	Yes	-	No	-	
3230-3236	24th St.	Ficus	Remove	Yes	No	-	Yes	Acer rubrum	

Address	Street	Species	Recommendation	Replacement possible yes/no, reasons	Sidewalk repair required, yes/no	Pave over, yes/no	Reduce basin size to 4x4	Replacement Species (maple or ginkgo)	Notes
3230-3236	24th St.		Empty basin	If shift to 18' center will be 18' from streetlight	No	-	Shift to 18' from streetlight		Check building plans for this property
3230-3236	24th St.	Ficus	Retain	-	Yes	-	No	-	
3230/3236	24th St.		New planting site	-	-	-	-		Pending development, could add one site 21' W of Ficus, which is 30' from corner

S V Ness-Capp

3211	24th St.		New planting site	-	-	-	-	Mexican fanpalm	
3211	24th St.	Palm	Retain	-	No	-	No	-	
3211	24th St.	Palm	Retain	-	No	-	No	-	
3211	24th St.	Palm	Retain	-	No	-	No	-	
3225	24th St.	Ficus	Experimental Pruning	-	-	No	Yes	-	-
3231	24th St.	Acer	Retain	-	No	-	No	-	
3245	24th St.	Ficus	Retain	-	No	-	No	-	
3247	24th St.		New planting site	-	-	-	-	Ginkgo biloba	15' f/ped level streetlight

Capp - Mission

3250	24th St.		Paved basin	Yes, at rear of bus zone/staging area no boarding	No	-	Cut new basin	Ginkgo biloba	
3250	24th St.		Empty basin	Yes, at rear of bus zone/staging area no boarding	No	-	Reduce 6" for PTZ	Acer rubrum	
3260-3264	24th St.	Ficus	Remove	No, bus zone	Yes	Yes	-	-	A lot of general heaving/sidewalk lift, will become much worse. Poor structure.
3266-3270	24th St.	Maple	Retain	-	No	-	No	Acer rubrum	Struggling
3278 (3290X)	24th St.	Ficus	Remove	No, bus zone,	Yes, and pave over	Yes, and pave over			At start of Plaza. Declining vigor. Poor structure. 2' from sewer lateral. Possibly shift E and replant in staging area?

Mission - Capp

3297X	24th St.	Ficus	Retain tree	-	No	-	No	-	
3297X	24th St.	Palm	Retain tree	-	No	-	No	-	
3297X	24th St.	Palm	Retain tree	-	No	-	No	-	
3297X	24th St.	Ficus	Retain tree	-	No	-	No	-	Borderline, poor structure, but smaller tree
3255X	24th St.	Ficus	Retain - small tree	-	No	-	No	-	Borderline, poor structure, but smaller tree
3255X	24th St.		Empty basin	Under canopy of ficus bhnd fnce		Pave?	No	-	Basin underneath canopy of ficus f/inside park lot
3255X	24th St.	Ficus	Retain	-	No	-	No	-	Small tree, parking lot
3255X	24th St.	Ficus	Retain	-	No	-	No	-	Small tree, parking lot

Legend

Row description	Meaning
Blank/White rows	Tree to be retained / not pruned / not removed
Green rows	Tree to receive experimental pruning
Blue rows	Empty tree basin to be planted, new planting site to be cut and planted, or potential planting site pending utility clearances
Orange rows	Remove tree